



Health Solution with  
Ultramodern Technology

# Physiotherapy

# Leading Physiotherapy Equipments

Manufacturer & Supplier Since 2011.

We “Life Care Physio Medical Instruments” Situated at Ahmedabad (Gujarat-India), are leading Manufacturer and Supplier of reliable range of Physio Medical Instruments such as Medical Therapy Instrument, Infrared Lamp, Paraffin Wax Bath, Medical Tens Unit, Short Wave Diathermy, Portable Interferential Unit, Computerised Traction Unit and Continuous Passive Motion Unit that is used widely in various industries like Hospitals, Clinics, Physiotherapy Centers, Rehabilitation Centers, Home Care, Health Centers, NGO, Fitness Clubs and Other End Users.

- Dedicated R&D.
- Reliable After Sales Service
- Superior Quality
- Satisfied Customers
- International Standards
- Range of Physiotherapy Equipment
- Reliable Products
- Wide Distribution Network

# LC 902 Combination Therapy



## COMBINATION THERAPY UNIT:

- Computerised Panel Design with Feather Touch Key.
- Large Graphic LCD Display.
- 100 Programmig And 99 Customize Program.
- Prob Test Mode.

## TREATMENT MODE:

- IFT: 2 Pole, 4 Pole, 4 Pole Vector and Russian Current.
- ULTRA SOUND 1Mhz : Contionues and pulse.
- TENS: Continuous & Burst Mode. (Frequency 1 to 250 Hz.)
- STIMULATION: Galvanic, Interupted Galvanic, Surge Faradic, Faradic.
- Diadynamic Current: CP, LP, DF, MF Modes Available.

## TECHNICAL DETAIL:

- Input Voltage: 230 V AC, 50 Hz
- Dimensions - L 390mm x W 390 mm x H 149mm
- Weight: 6.7 Kg Approx

## FREE ACCESORIES:

- IFT Cable with pad
- Tens Cable with Pad
- Ultra Sound Applator
- Stimulator Cable

# LC 009 TENS WITH MINI STIMULATOR

## FEATURES:

- Individual Intensity for Two Channel.
- Three Different type of currents.
- Light Weight & Compact Pvc Body.
- Best Quality Bag.

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50Hz
- Dimensions: L160mm X W110mm X H70 mm
- Weight: 0.8 Kg Approx

## TREATMENT MODE:

- TENS : Pluse Width: 400 Micro Sec.
- Frequency: 10 Hz, to 100 Hz Adjustable
- Interrupted Galavanic : Pulse Width 100 Mill Second
- Frequency: 1 Hz To 5 Adjustable,
- Surge Faradic : Contraction : 1 To 10 Sec.
- Frequency: 60 Hz, Pulse Width: 1.0 mili Sec.



## FREE ACCESORIES:

- Two Pair Electrode
- One Point Electrode
- Two Pair Velcro Straps
- Best Quality Bag

# LC 621 Computerized Interferential Therapy Unit

## FEATURES:

- Computerised Panel design with Feather touch switches for comfort in operation.
- Large graphic LCD based model
- 16 Various clinical treatment programmes
- Light weight and Compaq PVC Body.
- Encoder Based Design

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50 Hz
- Dimension: L 290 mm x W 205 mm x H 110 mm
- Inbuilt SMPS Power Supply Weight: 1.4 kg Approx.

## TREATMENT MODE:

- Five Modes: 2 Pole, 4Pole, 4Pole 45% Vector,
- 4 Pole 90% Vector and Russian Current.
- Base, Sweep, Ramp, On time and Off time adjustable.
- Balance facility available for both the channel 1 & 2.
- 1 to 99 minutes timer and Audio Buzzer at the end of treatment time.

## FREE ACCESORIES:

- Two pair Electrode Cables
- Velcro Straps and gel
- Best quality bag
- Rubber pads 4 nos
- Mains cord wire



# LC 603 (A) Portable Computerised Interferential Therapy Unit

## FEATURES:

- Computerised Panel Design With touch key for comfort in operation (with LED Indication)
- Light weight compact design for home visit, Clinical & Hospital.
- Large graphic LCD display.
- Light weight and Compaq PVC Body.
- Encoder Based Design

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50 Hz
- Dimension: L 195 mm x W 150 mm x H 90 mm
- Inbuilt SMPS Power Supply Weight: 1.2 kg Approx.

## TREATMENT MODE:

- Five Modes: 2 Pole, 4Pole, 4Pole 45% Vector, 4 Pole 90% Vector and Russian Current.
- Base, Sweep, Ramp, On time and Off time adjustable.
- Balance facility available for both the channel 1 & 2.
- 1 to 99 minutes timer and Audio Buzzer at the end of treatment time.

## FREE ACCESORIES:

- Two pair Electrode Cables
- Velcro Straps and gel
- Rubber pads 4 nos
- Best quality bag



# LC 360 Computerized Ultrasound 1MHZ Therapy



## FEATURES:

- 27 Clinical Programmes
- Manual Mode:  
Continuous, Pulse - 1:1, 1:3, 1:4, 1:9
- Time: 1 to 30 minutes
- Encoder Based Design
- Back Light Blue LCD Display

## TECHNICAL DETAIL:

- Input Voltage: 230VAC, 50 Hz
- Dimension: L 290 mm x W 205 mm x H110 mm
- Output Mode: continuous and pulse
- Audio Buzzer at the End of Treatment Time
- Frequency: 1 Mhz Approx
- Weight: 3.0 kg Approx

## FREE ACCESORIES:

- Ultra Sonic Gel
- Applicator with Cord

# LC 360 (A) Portable Computerized Ultrasound 1MHZ Therapy

## FEATURES:

- 27 Clinical Programmes
- Manual Mode:  
Continuous, Pulse-1:1, 1:3, 1:4, 1:9
- Time: 1 to 30 minutes
- Encoder Based Design
- Back Light Blue LCD Display
- Light Weight and Compaq PVC Body

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50 Hz
- Dimension: L 195 mm x W 150 mm XH 90mm
- Weight: 1.5 kg Approx.
- Output mode: continuous and pulse.
- Audio Buzzer at the end of treatment time.
- Frequency: 1 Mhz Approx.

## FREE ACCESORIES:

- Ultra Sonic Gel
- Applicator with cord
- Best quality




# LC 270 Computerised Four Channel Tens With NMES

- Latest Computerised Tens Unit with Large white graphical Display.
- Ten Different Type of currents with Variable Frequency and pulse width.
- Feather Touch switches for comfort in operation.
- SMPS Based Light weight Design
- Best quality Bag

## TECHNICAL DETAIL:

- Input Supply : 230V AC, 50 Hz
- Size L 290mm X W205mm x H 110mm
- Weight : 1.2 kg Approx.
- Output Voltage : 0 to 60v with load of 500 ohm.
- Pulse width : 50 to 350 micro sec.
- Frequency : 16 to 200 Hz
- Buzzer : Audio Buzzer at the end of Treatment time.
- Ten Types of Mode (continuous, Fast Burst, Slow Burst Ramp Burst, Frequency modulation, pulse width modulation, High Tens, Low tens, NMES, Brief Tens)



## FREE ACCESORIES:

- Four pair Rubber Electrodes
- Four Velcro straps.
- One Gel Bottle
- ONE Mains cord wire

# LC 504 Computerised Two Channel Tens

## FEATURES:

- Latest Computerised Tens Unit with Blue LCD Display
- Seven Different Type Of Currents with Variable Frequency and Pulse Width
- Touch Switches for Comfort in Operation

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50 Hz
- Size: L 185mm x W 120mm x H 80mm
- Weight: 1.3kg Approx

## TREATMENT MODE:

- Seven Types of Mode (Continuous, Fast Burst, Slow Burst, Ramp & Sweep Frequency & PW Modulation)
- Pulse Width: 50 to 350 Micro Sec.
- Frequency: 16 to 200 Hz
- Buzzer: Audio Buzzer at the end of treatment time.

## FREE ACCESORIES:

- Two Pairs of Rubber Electrodes
- Two Pairs of Velcro Straps
- One Bottle of Electrode Gel
- Carry Bag



# LC351 Computerized Muscle Stimulator With Tens

## FEATURES:

- Totally feather touch panel for easy to operate unit.
- Light weight & Compaq PVC Body.
- Five mode of currents (Galvanic, Interrupted galvanic, Faradic, Surge Faradic & Tens)
- SDC Facility available
- Best quality Bag

## TREATMENT MODE:

- Galvanic: Maximum output 0 to 145 volts DC
- Interrupted Galvanic: A Switch with select 9 different mode of frequency: (1,2,3,5,10,30,50,60,100 Hz)
- Pulse width: 0.01, 0.03, 0.10, 0.30, 0.40, 1, 3, 10, 30, 100, 300 Mili per seconds
- Faradic: 1 Mili Second pulsed width and 60 Hz. Frequency. Amplitude continuously adjustable from 0 to 145 volts.
- Surge Faradic:
  - Contraction Period: Adjustable from 1 to 9 seconds
  - Rest Period: Adjustable from 1 to 9 seconds
- Tens: Pulse width 400 micro sec & frequency 50 Hz.
- Buzzer: Audio buzzer at the end of treatment time.

## TECHNICAL DETAIL

- Input voltage: 230 VAC, 50 Hz
- Dimensions: L 290mm x W 205mm x H 110mm
- Weight: 2.0 Kg Approx

## FREE ACCESSORIES:

- One pair plate Electrode
- One point Electrode
- One pair vecro straps



# LC 704 Mini Muscle Stimulator With Tens

## FEATURES:

- Three Different type of currents with variable surge duration.
- User friendly can be easily operated.

## TECHNICAL DETAIL:

- Input voltage: 230VAC, 50 Hz
- Dimensions: L 160mm x W 110mm x H 70mm
- Weight: 0.8 Kg Approx

## TREATMENT MODE:

- SF: 1 to 9 second Duration
- I.G.: pulse width: 100 mili second, Frequency: 1 per second
- TNS: pulse width: 400 Micro Sec., Frequency: 50 Hz

## FREE ACCESSORIES:

- One pair plate Electrode
- One point Electrode
- One pair velcro straps
- Best quality Bag



# LC 153 Short Wave Diathermy 500 Watts

## FEATURES:

- Time: 0 to 60 minutes Digital Timer with Audio Buzzer.
- Most Common and globally used modality designed to run constantly to complete the rush of patient.
- Variable power selection in 5 steps
- High speed cooling fan inside to cool valve tube.

## TECHNICAL DETAIL:

- Input voltage: 230VAC, 50 Hz
- Dimensions: (L20"x W12"xH30")
- Weight: 36 Kg. Approx
- Output Power: 500 w of R.F
- Frequency: 27.12 MHz (Approx)

## FREE ACCESORIES:

- One pair condenser pad & cable

## OPTIONAL ACCESSORIES:

- Disc Electrodes
- Optional card update to PEME systems



# LC 155 Moist Heat Therapy



## FEATURES:

- Elegant Square Shaped Body.
- Heavy Gauge Stainless Steel
- Double Wall Body.
- MCB Switch for Mains Supply & Safety.
- Heater Indicator for Heating Supply.
- Caster Wheel for Easy Mobility.
- Heavy Duty 2000W Heater.

## TECHNICAL DETAIL:

- Input Voltage: 230VAC, 50Hz
- Size: L 385 mm x W 340 mm x H 550 mm
- Weight: 15kg. Approx

## FREE ACCESORIES:

- Pack 4 No.

# LC 135 Computerized Lumber, Cervical, Ankle Traction Unit

## FEATURES:

- Latest Computerized traction unit with Blue LCD Display
- Computerized Hold, Rest and Treatment time selection
- Used in cervical, Lumber and Ankle Traction Treatment
- Patient Safety switch available

## TECHNICAL DETAIL:

- Input voltage: 230VAC, 50 Hz
- Dimensions: L 330mm x W 260mmxH 300 mm
- Weight: 11.5 Kg Approx

## TREATMENT MODE: Intermittent & Static Mode

- Traction Force: 5 Kg to 45 Kg
- Hold Time: 20,30,40,50,60,70,80 Second
- Rest Time: 1 to 20 Second
- Time: 0 to 60 Minutes
- Table Size: L 7.5" x W2.0" xH2.25"

## FREE ACCESSORIES:

- Cervical Spreader Bar
- Chest and pelvic Belt
- Cervical collar and Ankle Belt



# LC 900 Continuous Passive Motion Unit

## FEATURES:

- Silent motor for noise free operation
- Patient Safety switch available
- Indication for up & down movement
- Manual flexion and extension adjustable

## TECHNICAL DETAIL:

- Input voltage: 230 VAC, 50Hz
- Dimensions: L 11.5" x W9.5" x H4.25"
- Weight: 17.0 Kg. Approx
- Buzzer: Audio buzzer at the end of treatment time.



## TREATMENT MODE:

- Flexion Hold Time: 1Sec./5Sec./10 Sec./15 Sec.
- Extension Hold Time: 1 to 10 Second
- Flexion Angle: 10 to 120
- Treatment Time : 0 to 60 Minutes

# LC 252 Treatment Table (3 Section)



## DESCRIPTION:

- Hydraulical System For Height Up And Down.
- Three Actuator For Height And Angle Adjustment.
- Best Quality Steel And Powder Coating.
- Equiped With Breathing Hole And Shoulder Support.
- Operated With Remote Control.
- Swivelling Castors With Locking Brake System.
- Noice Free Smooth Operating.
- Synthetic Leather Upholstery.
- It Can Be Adjust To A Chair With Handle Support.

## BED DIMENSIONS:

- L 180cm X W 60cm X H 50to80cm.
- Angle Of Front: 0° To 80°
- Front Sit: 60 X 70cm.
- Middle Sit: 60 X 45cm.
- Back Sit: 60 X 65cm.
- Load Capacity: 225kg.
- Input Voltage: 230v Ac 50Hz.

# LC 221 Deep Tissue-Class 4 Laser Therapy



## FEATURES:

- Economical, Most Advance, Powerfull & Efficetive
- Class IV Laser Therapy.
- Colour Touch Screen Oprated.
- Safety Switch Available.
- Usefull In Pain Relief, Trigger Points And Accupuncture Points.
- Improved Metabolic Activity, Accelerated Tissue Repair.
- Safety Goggles For Operator And Patient.

## TECHNICAL DETAIL:

- Input Voltage 230 V AC, 50 Hz.
- Wave Lenth: 1064nm.
- Dimension: 35cm X 29cm X 17cm.
- Pulse Width: 1-200ms.
- Working Mode: Continuous And Pulsed.

## FREE ACCESORIES:

- Handle With Cable.
- Power Cable & Key.
- Goggles For Operator And Patient.

# LC 117 Laser With Micro Current

- Low Level Therapy And Micro Current Proven to
- Be More Effective In Stimulating ATP Production.
- Safe And Alternative Method to Surgery And Pain Meditation.
- No Side Effect.
- Battery Operated Disgn.
- Android Charger.
- Micro Current Intensity Adjustable in 5 Steps.
- Colour LCD Display And Feathour Touch Keys.
- Weight: 100gms Aprox.
- Class II Medical Device.
- Type Red Laser Diode.
- Frequency: 690nm + 5nm.
- Micro Current : Pulsed Rectangular
- Battery: Lithium Ion Chargable
- 2 Minutes Auto Cut Off.



# LC 254 Shock Wave Therapy

## FEATURES:

- Preset Protocols.
- Treatment Guidance With Photos.
- Ergonomic Hand Piece.
- Touch Screen Operated.
- Mode: Elbow, Knee, Shoulder, Hip,
- Pubic Symphysis, Hand, Lumber, Foot Akle.

## TECHNICAL DETAIL:

- Input Voltage 230 V AC, 50 Hz.
- Weight: 4.0 Kg. Approx.
- Dimension : L300mm X W290mm X H250mm.
- Frequency And Energy Level Adjustable.
- Frequency: 1 to 16 Hz.

## FREE ACCESORIES:

- Shock Wave Head.
- 5 Hand Piece
- Foot Switch.



# LC 270 Compressible Six Chamber Limb Therapy

## FEATURES:

- User Friendly Touch Pannel.
- Six Modes: A,B,C,D,E,F
- Oparate With Remote Control.
- Pressure: 30 To 240 mm Hg.
- Mode: Normal, Sequential Sequezze, Duble Wave,
- Whole Squere, Sequential Squere + Double Wave,
- Normal + Double + Whole Squere.

## TECHNICAL DETAIL:

- Input Voltage 230 V Ac, 50 Hz.
- Time: 1 to 99 Min.
- Weight: 2.0 Kg. Approx.

## FREE ACCESORIES:

- Leg Cuff With Hose Pipe.
- Hand Glows With Hose Pipe.
- Waist Cuff With Hose Pipe.
- Remote Control.



# LC 641 Gait Trainer

- Single Motor Function For Height Adjustment.
- Remote Control Operated.
- Heavy Duty Lockable Castor Wheel.
- Treadmill Can Be Attached.
- Lift Patient Up to 250kg.
- Best Quality Belt For Lifting Patient.

## SPECIFICATION

- Frame: Heavy Duty Metal Frame.
- Height Of The Main Frame 225cm.
- Weighing Capacity-250kgs.
- Hanging Lifting Range-0 To 70cm.
- Lifting Mechanism - Electric DC Oprated Motor.
- Input Voltage: 230v AC 50Hz.
- Dimensions: L 100 X B 110 X H 225cm.



# LC 205 Long Wave Diathermy Unit

## FEATURES:

- Easy to operate design.
- Large LCD Display With 20 Programms.

## TECHNICAL DETAIL:

- Input voltage: 230 VAC, 50 Hz.
- Dimension : 294 mm X 292 mm X 110 mm.
- Weight: 4 Kg. Approx.
- Frequency: 1 MHZ
- Output: 10 Watts.

## FREE ACCESORIES:

- Applicator With Cable.
- Inactive Electrode with Cable.
- Jelly For Long Wave.



# LC 360 (B) Computerised Ultra Sound 1 and 3 MHZ Therapy

## FEATURES:

- Highly User Friendly Control Pannel For Ultrasound Therapy
- In 50 Customer Designed Therapeutic Protocols.
- Continuous and pulse Mode.
- Pulse Rate: 10 to 150 Hz Instep of 10 Hz.
- Pulse Peak: (Duty cycle 5-100% Instep of 5%).
- Ergonomic Head with 1 & 3 MHZ.

## TECHNICAL DETAIL:

- Input voltage: 230 VAC, 50 Hz.
- Dimension: 310 mm X 85 mm X 210 mm.
- Audio Buzzer At The And Of Treatment Time.
- Frequency: 1 & 3 MHZ.
- Weight: 2 Kg. Approx.

## FREE ACCESORIES:

- Ultrasound Head 1 & 3 Combined.
- Ultrasound Gel.



# LC 018 Deep Heat Therapy



## FEATURES:

- High quality pads with special safety insulation.
- 5 channels, 5 Pads (1 for Abdomen & Buttocks)
- 2 for Thighs & 2 for Arms.

## TECHNICAL DETAIL:

- Input voltage: 230 VAC, 50 Hz
- Time: 0 to 60 minutes Digital Time with Audio Buzzer
- Temperature Controller for Heat Control.
- Dimensions: L315 mm xW 260 mm x H 130mm
- Weight: 5.0 kg. Approx

## FREE ACCESORIES:

- 5 Pads (1 for Abdomen & Buttocks)
- 2 for Thighs & 2 for Arms.
- Mains Cord

# LC 261 (A) Six Lamp Infrared Unit

## FEATURES:

- High & Low Intensity controller
- Height, Angle and Direction Adjustable
- Castor Wheeled Floor Model
- High Speed Cooling Fan

## SPECIFICATION:

- 6 Infrared Lamp.
- Digital Timer: 1 to 30 Minutes.
- Separate On/Off Switch.

## TECHNICAL DETAIL:

- Input Voltage: 230V AC 50HZ
- Weight: 30.0 kg Approx
- IR Lamp: 250 Watts



# LC 306 Paraffin Wax Bath

## FEATURES:

- Elegant Square shaped Body
- Automatic Temperature 30° to 110° Control
- Castor wheel for easy mobility
- Corrosion & Leakage-Proof
- Mains Indicator for mains supply and Heater Indicator for Heater Supply
- Highly Insulated double wall powder coated MS/SS tank

## TECHNICAL DETAIL:

- Input voltage: 230 VAC, 50 HZ
- Dimensions :L350mmxW350 mm x H 190 mm
- Weight: 10 Kg. Approx (without Paraffin Wax)

## FREE ACCESORIES:

- Metal Trey and Brush



# LC 306 (A) Portable Paraffin Wax Bath

## FEATURES:

- Automatic Temperature 30° to 110\* control.
- Mains Indicator for mains supply and Heater Indicator for Heater Supply.
- Heavy gauge metal tank with powder coating

## TECHNICAL DETAIL:

- Input Voltage: 230 VAC, 50 Hz
- Dimension: L 240mmxW 350mmxH245 mm
- Weight: 7.0 kg Approx. (without Paraffin wax)

## FREE ACCESORIES:

- Metal tray and brush.



# LC 261 Infra Red Lamp



## FEATURES:

- High Low Intensity Controller.
- Height, Angle & Direction Adjustability.
- Castor Wheeled Floor Model.

## TECHNICAL DETAIL:

- Input voltage: 230VAC, 50 HZ
- Weight: 9 Kg Approx
- IR Lamp: 250 watts
- Timer : 0 to 30 minutes

# LC 011 UVR Therapy

## FEATURES:


- Available with Mechanical Timer.
- Height, Angle & Direction Adjustability.
- Castor wheeled floor model

## TECHNICAL DETAIL:

- Input voltage: 230VAC, 50 Hz
- Weight: 9.5 Kg Approx  
IR and UVR
- Timer : 0 to 30 minutes



HANGING SPRING




SAND BAG




SQUARE GRIPPER



ROUND GRIPPER



FINGER SPRING



PEG BOARD



LADDER



CO-ORDINATOR



WRIST ROLL




FINGER WEIGHT



WRIST ROTATOR



ELBOW EX.




ANKLE STRETCHER



QUD. BOARD



PADO CYCLE



ANKLE EXERCISER




SHOULDER ARM



SHOULDER WHEEL



VOBLE BOARD



QUD. EX.



SUPINATION PRONATION



GONIO METER



SPONGY BALL



WOODEN DUMBBELL




ANKLE SPRING




WOODEN ANKLE EX.




INV. EVE. EX.



PINCH & PULP



VELCRO BOARD



FINGER GRIP BOARD



BALANCE BOARD



DUMBBELL SET




WALL BAR



ROWING MACHINE



QUD. TABLE



TREATMENT TABLE

**WALKING EQUIPMENTS**



CRUTCHES



FOLDING WALKER



WALKING STICK



FIX WALKER




WALKER WITH WHEEL



TREAD MILL



TROLLEY



MIRROR WITH STAND



PARALLEL BAR



SUSPENSION FRAME



SUSPENSION ACCESSORIES




HOME GYM



TRACTION BED



TWISTER



WHIRLPOOL BATH



MULTI EXERCISER



TILT TABLE



CONTRA BATH



MOIST PACK



PEANUT BALL



FASCIAL GUN



CUPPING SET



TUNING TUBE



WHEEL CHAIR



QUD. SHOES



EX. CYCLE



ROPE & PULLY SET



DIGITAL PADO CYCLE



SPIROMETER




GEL EXERCISER

**C. P. EQUIPMENT**



PHYSIO BALL



BOLSTER



WEDGES



VISUAL BOARD



PYRAMIDS



BARREL ROLL



C P CHAIR DLX




VESTIBULAR BOARD



C. P. CHAIR



STAND IN ACTIVITY



CORNER CHAIR



STAIR CASE




TRAMPOLINE




C. P. WALKER



FOOT PLACEMENT LADDER



STOOLS



ANGALED BOARD

BALANCE BEAM



STANDING BOARD



 99251 - 65883  
98244 - 45294

 lifecarepmi@yahoo.in / info@lifecarepmi.com

 [www.lifecarepmi.com](http://www.lifecarepmi.com)

## **Life Care Physio Medical Instruments**

C/4, Devashray Industrial Park, Nr. N.K.R Engineering,  
Nr. Express Highway Ramol Garnada, Opp. Srinand City,  
Phase IV, GIDC, Vatva, Ahmedabad - 382445

